Two Factor ANOVA

母

2

Greg C Elvers

Factorial Designs

- Often researchers want to study the effects of two or more independent variables at the same time
 - Does it matter where a list of words is studied, on the beach or under water?
 - Does it matter where a list of words is recalled, on the beach or under water?

Factorial Designs

- - The preceding example has two factors: where you study and where you recall
- ⊕ In a *factorial design*, all possible combinations of the factors are present

A Factorial Design

		Study				
		On Beach	Underwater			
Recall	On Beach	Study on beach; recall on beach	Study underwater; recall on beach			
	Underwater	Study on beach; recall underwater	Study underwater; recall underwater			

Naming Factorial Designs

- ⊕ Factorial designs are referred to by the number the number of IVs and the number of levels of each IV
- ⊕ A design with two IVs is said to be an n X m (read n by m) design
 - the n is replaced with the number of levels, or conditions, of the first IV
 - the m is replaced with the number of levels, or conditions, of the second IV

Naming Factorial Designs

- The preceding example is a 2 X 2 factorial design because there are two IVs, and each IV has two levels
- What would you call a design that had 3 IVs in which the first IV had 2 levels, the second IV had 3 levels and the third IV had 4 levels?

 $\oplus 2 X 3 X 4$

Factorial Designs

The number of conditions in a factorial design is equal to the product given by its name

Design	# Conditions
2 X 2	4
2 X 3 X 4	24
3 X 4	12

Information From A Factorial Design

An n X m factorial designs is very powerful because it allows us to answer three questions:

⊕ Is there an effect of the first IV?

- Do you recall more words when you study them on the beach or underwater?
- Is there an effect of the second IV?
 Do you recall more words when you recall them on the beach or underwater?

Information From A Factorial Design

- ⊕ An n X m factorial designs is very powerful because it allow us to answer three
 - questions:
 - # Are the effects of the two IVs independent of each other?
 - ^{III} When recalling on the beach, does it matter whether you studied underwater or not? When recalling underwater, does it matter whether you studied underwater or not?

Main Effects

- ⊕ Each of the first two questions (Is there an effect of the first / second IV?) is asking whether there is a *main effect* of that IV
 - A main effect occurs when an independent variable has an influence on the dependent variable
 - ⁽²⁾ If people recalled more words when they studied them on the beach than when they studied them underwater, then there would be a main effect of where the words are studied ¹⁰

Main Effects

When looking at the main effect of one IV, you should ignore the existence of the other IV

Compare all conditions that have one level of the IV to all conditions that have the other level of the IV



Main Effects

- For the main effect of where the words were studied:
- Average the values of the left two bars (conditions in which people studied on the beach)
 ⊕ (15 + 10) / 2 = 12.5
- Average the values of the right two bars (conditions in which people studied underwater)
 (8 + 5) / 2 = 6.5



Main Effects

- $\begin{array}{l} \textcircled{$: $ beach = 12.5 vs $ \overline{X}_{underwater} $ \\ = 6.5 \end{array}$
 - = 6.5 The larger the d
- The larger the difference between the means, the more likely there is a main effect of the independent variable
 - Independent variable
 There probably is a main effect of where the person studied the words



Recall on Beach Recall Underwater

Main Effects

- Is there probably a main effect of where the person recalled the words?
- ↔ Average the values of the two green bars (conditions in which the words were recalled on the beach)
 ↔ (15 + 8) / 2 = 11.5



Recall on Beach Recall Underwater

Main Effects

- Average the values of the two blue bars (conditions in which the words were recalled underwater)
 ⊕ (10 + 5) / 2 = 7.5
 ⇔ Compare the two averages
- There probably is a main effect of where the words are recalled



Main Effects

- Main effects can be determined from both single factor experiments and from factorial design experiments
- However, factorial designs are more efficient than single factor experiments because you can answer the same questions with fewer participants

Interactions

- th The third question that we can ask about a factorial design is:
 - Are the effects of the two IVs independent of each other?
- th This type of effect is called an *interaction* effect or just an interaction
- 4 Interactions are very important in research and are the real reason why factorial designs are performed 17

Definitions of Interaction

- There are several equivalent ways of defining interaction:
 - An interaction occurs when the nature of the simple main effect of one IV depend on then level of the other IV
 - An interaction occurs when the effects of one IV cannot simply be added to the effects of the other IV in order to predict how both treatments will simultaneously affect the DV
 - An interaction occurs when the lines on a graph of the results are not parallel

Simple Main Effect Definition of

Interaction

An interaction occurs when the nature of the simple main effect of one IV depend on then level of the other IV Does the effect of

wet depend on whether

you recall dry or wet?



Recall on Beach Recall Underwater

Simple Main Effect Definition of

Interaction

- ⊕ Yes
- + If you are recalling on the beach, then studying on the beach is better than studying underwater
- ⊕ If you are recalling underwater, then studying on the beach is poorer than studying underwater



Recall on Beach Recall Underwater

Simple Main Effect Definition of Interaction

 The simple main effect of whether you do better studying on the beach or underwater depends on whether your recall on the beach or underwater
 Thus, the two variables

(where you study and

where you recall)

interact



Recall on Beach Recall Underwater

Additivity Definition of

Interaction

- An interaction occurs when the effects of one IV cannot simply be added to the effects of the other IV in order to predict how both treatments will simultaneously affect the DV
- Determine what effect studying on the beach vs underwater has
- Determine what effect recalling on the beach vs underwater has

Additivity Definition of

Interaction

- The average value of all conditions in which you study on the beach is (15 + 10) / 2 = 12.5
- The average value of all conditions in which you study underwater is (5 + 12) / 2 = 8.5
- So studying underwater leads to you recalling 12.5 - 8.5 = 4 fewer words



22

Recall on Beach Recall Underwater

Additivity Definition of

Interaction

- The average value of all conditions in which you recall on the beach is (15 + 5)/2 = 10
- The average value of all conditions in which you recall underwater is (10 + 12) / 2 = 11
- ⇔ So recalling underwater leads to you recalling 11
 - 10 = 1 more word





Additivity Definition of Interaction

If the IVs are independent of each other (i.e. they do not interact with other), then we should be able to predict the number of words recalled in three of the conditions given the number of words recalled in the fourth condition and the size of the main effects

Additivity Definition of Interaction

25

26

Wumber of words recalled when you study underwater and recall underwater = number of words recalled when you study on the beach and recall on the beach + effect of studying underwater + effect of recalling underwater

 $\oplus 12 = 15 + (-4) + 1 = 12$

Additivity Definition of Interaction

- Number of words recalled when you study underwater and recall on the beach = number of words recalled when you study on the beach and recall on the beach + effect of studying underwater
- Because we cannot predict, the effects are not 27 additive, and the variables interact

Additivity Definition of Interaction

- Wumber of words recalled when you study on the beach and recall underwater = number of words recalled when you study on the beach and recall underwater + effect of recalling underwater
- Because we cannot predict, the effects are not additive, and the variables interact

Graphical Definition of



⁴ When the lines or bars on a graph are not parallel, then an interaction has occurred
29

Factorial ANOVA

30

31

 ⇔ The factorial analysis of variance answers each of the questions that can be asked
 ⇔ Is there a main effect of the first IV?
 ⊕ Is there a main effect of the second IV?

 \oplus Is there an interaction effect of the two IVs?

The ANOVA accomplishes these goals by giving us an F ratio for each of the questions that are asked

Factorial ANOVA

 $\stackrel{\text{th}}{\to} H_0 \text{ and } H_1 \text{ for each of the main effects takes}$ the same form as the single factor ANOVA H_0 and H_1 : $\stackrel{\text{th}}{\to} H_0$: $\mu_1 = \mu_2 = \dots = \mu_n$ $\stackrel{\text{th}}{\to} H_1$: not H_0

Factorial ANOVA



second IV $\oplus \mu_{21}$ = mean for level 2 of the first IV and level 1 of the

second IV



Factorial ANOVA



 α =.05 for all tests 4 Look at a graph and determine which main effects and interactions are likely



16

14

12

you recall 4 An interaction

you study

Recall on Beach Recall Underwater

34

35

Factorial ANOVA Summary Table

	10.7 ···· 10.044		H ICCIDERS.		NC GINESTER.
Source	SS	df	MS	F	р
IV1 (Study)	4	1	4	2	p=.07
IV2 (Recall)	2	1	2	1	p=.50
IV1 X IV2 (Study X Recall)	12	1	12	6	p=.02
Error (Within-groups)	88	44	2		
Total	106	47			

 \oplus Source = source of variance

 Bottee = source of variance

 ⊕ SS = sum of squares = top part of variance formula
 ⊕ df = degrees of freedom = bottom of variance formula

Factorial ANOVA Decisions

			10.0110.25.	25026-000	Co. 100 20-
Source	SS	df	MS	F	р
IV1 (Study)	4	1	4	2	p=.07
IV2 (Recall)	2	1	2	1	p=.50
IV1 X IV2 (Study X Recall)	12	1	12	6	p=.02
Error (Within-groups)	88	44	2		
Total	106	47			

 \oplus The line labeled with the name of the first IV tells you whether there is a main effect of that IV

 \oplus When the p value is less than or equal to α , then you can reject H₀ that all the means are equal

rightarrow That is, when $p \le \alpha$, there is a main effect of the IV

Factorial ANOVA Decisions

	62/1		10 July 10 M	32636D/F	
Source	SS	df	MS	F	р
IV1 (Study)	4	1	4	2	p=.07
IV2 (Recall)	2	1	2	1	p=.50
IV1 X IV2 (Study X Recall)	12	1	12	6	p=.02
Error (Within-groups)	88	44	2		
Total	106	47			

The line labeled with the name of the second IV tells you whether there is a main effect of that IV

 \oplus When the p value is less than or equal to $\alpha,$ then you can reject H₀ that all the means are equal

rightarrow That is, when $p \le \alpha$, there is a main effect of the IV 36

Factorial ANOVA Decisions

	507.1. I (BC 149.00		10. al 16. 25	25026-000	Co. 100 20-
Source	SS	df	MS	F	р
IV1 (Study)	4	1	4	2	p=.07
IV2 (Recall)	2	1	2	1	p=.50
IV1 X IV2 (Study X Recall)	12	1	12	6	p=.02
Error (Within-groups)	88	44	2		
Total	106	47			

⊕ The line labeled with the name of both of the IVs tells you whether there is an interaction of those IVs

 \oplus When the p value is less than or equal to $\alpha,$ then you can reject H_0

 $rac{1}{2}$ That is, when $p \le \alpha$, there is an interaction of the IVs $_{37}$

Writing the Results

- The American Psychological Association has a precise format for writing the results of ANOVA in an article
- rightarrow The MS_{error} and α level are only with the first F ratio reported unless they change

38

39

Writing the Results

⇔ For the main effect of where you studied: ⇔ $F(1, 44) = 2.00, p = .07, MS_{error} = 2.00, α = .05$ ⇔ For the main effect of where you recalled:

 $\oplus F(1, 44) = 1.00, p = .50$

 \oplus For the interaction: $\oplus F(1, 44) = 6.00, p = .02$

Other ANOVAs

- ⊕ Just as in the t test and in the single factor ANOVA, there are different types of factorial design ANOVAs
- ⊕ If all the IVs are between-subjects then you should use a between-subjects ANOVA
- If all the IVs are within-subjects then you should use a within-subjects ANOVA
- ⊕ If at least one IV is between-subjects and and least one IV is within-subjects, then you should use a mixed-design ANOVA

Other ANOVAs

- The primary difference between the three types of factorial design ANOVAs is in the number of error (within-groups) estimates of variance there are
 - Between-subjects ANOVA has 1 MS_{error}
 - Divident ANOVA has 2 MS_{errors}
 - Within-subjects ANOVA has 3 MS_{errors}

Other ANOVAs

41

43

ANOVA is not limited to just 2 IVs -- you can have as many IVs as is necessary to answer your questions

- Because of the complexity of the design, you
 will rarely see more than 3 or 4 IVs used in a
 single experiment
- ⁴² When there are more than two IVs, you get information on main effects, simple interactions and higher-order interactions ⁴²

Higher Order Interactions

- ⊕ A higher-order interaction occurs when the nature of the lower order interaction (such as the two variable interaction we have talked about) depends on the level of a third (or higher) IV
- Higher order interactions are often difficult
 to interpret